

**ecom**

MOBILE SAFETY



**Smart-Ex® 01 / 201 & Ex-Handy 09 / 209**

**DELIVERING MOBILITY  
IN HAZARDOUS AREAS**

# Enterprise Mobility

## EXPLORING MOBILITY

Companies are aware of the capability of mobility solutions and the impact they can have on operations, reducing cost and improving efficiency. Game changing new devices are enabling break-throughs in workforce productivity, data quality and the speed and accuracy of decision making.

The world's first Intrinsically Safe 4G / LTE Smartphone, the Smart-Ex® 01 / Ex-Handy 09 is based on an Android operating system. These devices are unlocked and SIM free, offering a reliable connection to any network worldwide. The 9th generation of the Intrinsically Safe cell phones from ecom certified and approved for use in Zone 1 & DIV 1 incl. Dust Ex-areas.

ZONE 1 / 21, ZONE 2 / 22

DIV 1 / DIV 2

## Most rugged Smartphone / Featurephone

QUALITY CONTROL CONDUCTED IN GERMANY, BASED ON 30 YEARS EXPERIENCE

## RANGE OF FUNCTIONS

- SIM lock free
- 4G / LTE cellular network connectivity
- Bluetooth® 4.0 incl. BLE (Bluetooth Low Energy)  
BLE (30 times faster, 1/100th of power)
- WiFi 802.11 a/b/g/n
- Android™ - operating system
- 4.0" capacitive multi-touch screen made of extreme shock and scratch resistant Gorilla Glass® 2
- Glove Touch Screen
- High Visibility Display in Direct Sunlight
- Camera [see page 10]
- Quality Pictures in bad light condition
- 3600 mAh Li-Ion battery pack (Smart-Ex 01)  
4800 mAh Li-Ion battery pack (Smart-Ex 201)  
(up to 40 hours talk time)
- Magnetic and waterproof USB 2.0 High Speed connector
- IP68 - Dust proof, water proof
- Push-to-talk (App solution)
- Lone Worker Protection (App solution)
- Dedicated / programmable hardware buttons
- NFC functionality (only Smart-Ex® 01 / 201)
- Optional Service Level Agreement 3 years (SLA)
- MDM + Google Play Store certified
- FOTA (Firmware over the air)

# LEARN ABOUT THE KEY BENEFITS

Smart-Ex® 01 / 201

Ex-Handy 09 / 209



## ANDROID™ - THE MOST POPULAR OPERATING SYSTEM

ANDROID™ enables this intrinsically safe device to be used in hazardous areas without any compromises, especially when compared to conventional smartphones, for these applications and many more. With the online integration and the use of a variety of applications, the Smart - Ex® 01 & 201 / Ex-Handy 09 & 209 allows an efficiency potential and access to productivity and safety applications

- Collaborative Working
- Audits & Inspection
- Operator Rounds
- Asset Tracking
- Condition Monitoring
- Process Automation
- Indoor / Outdoor Tracking & Navigation
- Safety / Security Management
- Man Down - Lone Worker Protection
- Push to talk function
- Camera / Video



[www.ecom-ex.com/apps](http://www.ecom-ex.com/apps)

# Enterprise Mobility




## CONNECTIVITY – FAST AND FLEXIBLE

As private 4G / LTE wireless connectivity is increasingly adopted within hazardous areas, Tab-Ex® 01 ensures access is fast and seamless – enabling users to quickly access the information needed to perform the task at hand. And, for sites with WiFi access or no wireless access, Smart-Ex® 01 provides the flexibility to meet your needs - preventing costly infrastructure updates.

Central to ecom's Mobile Worker concept, the latest Bluetooth standards are also supported by Smart-Ex® 01 / Ex-Handy 09, allowing real-time connectivity to both Bluetooth SmartReady Low Energy 4.0 (BLE) devices as well as older legacy Bluetooth devices. This allows the mobile worker to benefit from expanded Smart-Ex® 01 / Ex-Handy 09 capabilities such as data collection and measuring/monitoring devices, headsets, AutoID, and Bluetooth Beacons for localization.



## MOBILE WORKER





# ECOM'S MOBILE WORKER CONCEPT



SERVICE  
Coverage Area  
Why-How  
SOFTWARE

PERIPHERALS




Custom Software Load

Customised Labelling


Rental/ HaaS

- ▶ Ensuring and maximizing mobile worker's efficiency & productivity
- ▶ Ensuring accurate data capture and real-time information and decision making
- ▶ Minimizing costs
- ▶ Improve ease of use & customer experience



How  
Development Assistance

# Smart-Ex<sup>®</sup>



## WHY USE ZONE 1 / 21 & DIV 1 DEVICES? DO NOT COMPROMISE ON SAFETY

Safety (employees, assets and environments) is priority number one when carrying any electronic device into environments with potentially explosive atmospheres.

Since even Zone 2 equipment is “only required to be safe under normal operating conditions”, any fault could potentially cause an explosion in the presence of an explosive atmosphere. Even turning a device “Off” does not make it safe.

Essentially, only equipment certified for use in Zone 1 / Division 1 areas employ additional safety circuits or factors of safety in the event of potential failure and pass extreme impact and drop tests, climate tests, ageing tests.

Even if considered safe to use in hazardous areas, it does not mean it is intrinsically safe / explosion proof unless:

1. The device has the correct rating:  
“Ex ia”, “Ex ib” or UL913, FM3610, CSA157 and
2. The required certification marking is on the device

Evaluate the risk and check if your mobile devices are intrinsically – you may be surprised and even more your company’s safety or insurance maybe compromised.

Also take into consideration that Division 2 and even Zone 2 certified devices should be replaced earlier than Division 1 / Zone 1 devices.

# MAKE ALL THE DIFFERENCE


## PUSH-TO-TALK (PTT)

PTT over IP is a service providing group communication like Two-Way Radio communication systems (TETRA, DMR and the classic analogue PMR).

**Existing systems can be easily substituted, including DECT systems**

### Benefits

Individual Call / Group Call / Messages / GPS Tracking / Calls History Including Voice Recording / Order Management System with NFC, QR Code / Status Messages / Data Transfer.



## LONE WORKER PROTECTION (LWP)

### LWP ready for Mobile Worker 4.0

- Easy to integrate in many partner server systems
- Location based services are available
- Interactions with different Applications at the same time run smoothly
- OTA upgrades running well - not only for LWP
- Data interaction between control center and end-user is possible

### Smart-Ex® 01 / 201 & Ex-Handy 09 / 209

- The LWP Application is running beside the operating system
- The use of Android Apps reduces costs
- Quad core processor divides all services
- In case of a processor malfunction, 3 backup processors ensure that all services are available instantly

## MOBILE DEVICE MANAGEMENT

Mobile device management (MDM) is an industry term relating to the administration of multiple devices which helps in dealing with deploying, securing, monitoring and integrating mobile devices

### Features

The main aim for deploying MDM on devices is to optimize the functionality and security of mobile devices within an organisation, while simultaneously protecting the corporate network. Key features for a robust and secure MDM include:

- Enroll, provision, configure and manage devices, individually or by a group over-the air (OTA)
- Restrict users to approved applications only.
- Containering; a secured area for business apps





# Smart-Ex®



## SOFTWARE BARCODE SCANNER

The ecom CamScan is a “keyboard wedge” software utility based on Honeywell’s **SWIFTDECODER Mobile™** a professional offline barcode decodes software, which uses the integrated front / rear camera to scan barcodes, automatically converting them to human readable text. Triggering the scan is easy - simply press the Scan button added to the on-screen keyboard. Audible and vibration feedback is given when the barcode has been decoded and the decoded barcode data will automatically appear in the data field where you need it.

Choose software scanning for a low to medium frequency scanning, where low light and high motion are not an issue.

## CamScan Keyboard

for Tab-Ex® 01 & Smart-Ex® Series / Ex-Handy 209

### ADVANTAGES CAMSCAN SOFTWARE

- Uses integrated front / rear cameras - no additional hardware needed
- Fast & accurate decoding of a wide variety of 1D and 2D barcodes (even offline)
- Decodes most dirty/damaged barcodes
- Good performance in both sunlight and poor light conditions

### BENEFITS

- Improves accuracy & reduces manual typing
- Eliminates the need to copy & paste data
- Hardware & software cost savings
- Easy integration with existing software



# PREMIUM DATA CAPTURING



## SCAN ENGINE

If data capture is proving a challenge and you need a powerful and professional solution, you should turn to the **Ident-Ex®**.



## IDENT-EX® SCAN HANDLE

Using a unique modular design, Ident-Ex® 01 can be specifically configured to the customer's requirements by selecting different head modules. Even if requirements change, the head module on the unit can be replaced by one of the ecom-approved Service Centers.

## ADVANTAGES OF IDENT-EX®

- Ultra-rugged
- Easy to use, with one hand
- 10.000+ scans with one battery charge
- RFID= up to 1,5 m  
Barcode= 15 cm to 15 m



Connectivity via Bluetooth



	SMART-EX® 01	SMART-EX® 201	EX-HANDY 09	EX-HANDY 209
Operating System	Android 4.4.4			
Chipset	MSM8926 1.2 GHz Quad core			
Band	4G / LTE-Standard Quad Band UMTS 850 / 900 / 1900 / 2100 MHz Quad Band GSM 850 / 900 / 1800 / 1900 MHz EU: B1, B3, B7, B8, B20, B38 (TDD) US: B1, B2, B3, B4, B5, B7, B8, B12, B17			
Antenna	MIMO antenna for LTE			
WiFi	802.11 a / b / g / n dual-band, WiFi Direct, WiFiHotspot			
Memory	16 GB Internal Storage / 1GB RAM		8 GB Internal Storage / 1GB RAM	
User memory	12 GB		4 GB	
Applications	Google Play Store certified			
<b>CONNECTIVITY</b>				
Bluetooth SMS, MMS (text, image, audio, video)	BT4.0 / BLE (Low Energy) Support SMS and MMS			
GPS, NFC	GPS, GLONASS, NFC		GPS, GLONASS	
Email Client	EAS, Gmail, POP3, IMAP			
Capacity (mAh)	3600 mAh	4800 mAh	3600 mAh	4800 mAh
Battery Life	Up to 1000 hours Stand by, up to 40 hours talk time			
<b>PHYSICAL CHARACTERISTICS</b>				
Ambient temperature	-20 °C.....+55 °C / 0 °C.....+50 °C (Smart-Ex® 01M)			
Protection class	IP68			
Size	137 x 72,1 x 26,9 mm (5.39" x 2.84" x 1.06")	137 x 72,1 x 26,9 mm (5.39" x 2.84" x 1.06")	137 x 64,5 x 26,6 mm (5.39" x 2,54" x 1,05")	137 x 64,5 x 26,6 mm (5.39" x 2,54" x 1,05")
Weight	approx. 370 g	approx. 290 g	approx. 330 g	approx. 270 g
Dedicated Keys	PTT key / Alarm key / Power key			
Ports	3.5 mm audio connector			
<b>DISPLAY</b>				
Size	4.0 inch		2.6 inch	
Type	Corning Gorilla® Glass 2 with Glove Touch, Blanview Display			
<b>Audio</b>				
Microphone	Dual Mic Solution with Noise cancellation			
Speaker	19 mm Loud Speaker with Gore® Protective Vents, Output up to 103 dB			
<b>MULTIMEDIA</b>				
Camera	8 MP auto focus rear, 1MP fixed focus front		-	5 MP auto focus rear
Video streaming	Support AV I, MP4, 3GPP		Support AV I, MP4, 3GPP	
LED torch light	Yes			

## CERTIFICATION

	SMART-EX® 01	SMART-EX® 201	EX-HANDY 09	EX-HANDY 209
<b>ATEX</b> 	Ⓜ II 2G Ex ib IIC T4 Gb IP64 Ⓜ II 2D Ex ib IIIC T135 °C Db IP64 <b>Mining (Smart-Ex® 01M)</b> I M1 Ex ia I Ma IP64	Ⓜ II 3G Ex ic IIC T4 Gc IP64 Ⓜ II 3D Ex ic IIIB T135 °C Dc IP64	Ⓜ II 2G Ex ib IIC T4 Gb IP64 Ⓜ II 2D Ex ib IIIC T135 °C Db IP64	Ⓜ II 3G Ex ic IIC T4 Gc IP64 Ⓜ II 3D Ex ic IIIB T135 °C Dc IP64
<b>IECEX</b> 	Ex ib IIC T4 Gb IP64 Ex ib IIIC T135 °C Db IP64 <b>Mining (Smart-Ex® 01M)</b> Ex ia I Ma IP64	Ex ic IIC T4 Gc IP64 Ex ic IIIB T135 °C Dc IP64	Ex ib IIC T4 Gb IP64 Ex ib IIIC T135 °C Db IP64	Ex ic IIC T4 Gc IP64 Ex ic IIIB T135 °C Dc IP64
<b>NEC &amp; CEC</b> 	Class I, Division 1, Groups A-D T4 Class II & III, Division 1, Groups E-G T4	Class I, Division 2, Groups A, B, C, D, T4	Class I, II, III Division 1 Groups A-G T4	Class I, Division 2, Groups A,B,C,D, T4
<b>KC - Korean Certification</b> 	Ex ib IIC T4 Ex ib IIIC T135°C	Ex ib IIC T4 Ex ib IIIC T135°C	-	-
<b>NCC (Brazil)</b> 	Ex ib IIC T4 Gb IP64 Ex ib IIIC T135 °C Db IP64	Ex ic IIC T4 Gc IP64 Ex ic IIIB T135 °C Dc IP64	Ex ib IIC T4 Gb IP64 Ex ib IIIC T135 °C Db IP64	Ex ic IIC T4 Gc IP64 Ex ic IIIB T135 °C Dc IP64

## SCOPE OF DELIVERY SMART-EX® / EX-HANDY

- Smart-Ex® 01 & Smart-Ex® 201  
Ex-Handy 09 / 209
- Li-Ion battery 3600mAh (built-in)  
Li-Ion battery 4800mAh (built-in)
- Charger TC S01
- Safety Box SB S01 /  
USB data cable PC S201
- Belt Clip BC S01 / S201 / H09 / H209
- Needle (for opening SIM Slot)
- Documentation








Find more on  
[www.ecom-ex.com](http://www.ecom-ex.com)

## ACCESSORIES SMART-EX® & EX-HANDY

BELT CLIP	LEATHER CASE	LEATHER HOLSTER	DOCKING STATION
			

## COMPATIBLE WITH

3M™ PELTOR™ WS™ ProTac XP Ex	EX-RSM AURELIS BT SPEAKERMIC	SMART MUFF	COM COM EX	SERENITY SPC
				

## EMEA

### Germany (Headquarters) <sup>1</sup>

ecom instruments GmbH  
Industriestraße 2  
97959 Assamstadt  
Phone +49 62 94 42 24-0  
Fax +49 62 94 42 24-100  
sales@ecom-ex.com  
<sup>1</sup> also covering Austria

### ecom Benelux <sup>2</sup>

ecom instruments BV  
Watertoren 45c  
3247 CL Dirksland, Netherlands  
Phone +31 1 87 60 59 16  
Fax +31 1 87 60 33 47  
info.nl@ecom-ex.com  
<sup>2</sup> also covering Belgium and Luxembourg

### France <sup>3</sup>

ecom Nied sarl  
4 Rue Ettore Bugatti  
67201 Eckbolsheim  
Phone +33 3 88 76 46 84  
Fax +33 3 88 76 02 85  
info.fr@ecom-ex.com  
<sup>3</sup> also covering Algeria, Egypt, Morocco

### Italy

ecom instruments srl  
Via Gandhi, 15 Galleria  
20017 Rho (MI)  
Phone +39 02 93 90 92 16  
Fax +39 02 93 90 62 97  
info.it@ecom-ex.com

### Switzerland

ecom instruments GmbH  
Merkurstraße 2  
6210 Sursee  
Phone +41 4 19 21 60 00  
Fax +41 4 19 22 00 08  
info.ch@ecom-ex.com

### Nordics

ecom instruments GmbH  
Postbox 304  
2970 Hørsholm  
Denmark  
Phone +45 28 252 575  
info.nordics@ecom-ex.com

### United Kingdom

ecom instruments ltd  
A310, The Wilton Centre,  
Redcar, TS10 4RF,  
United Kingdom  
Phone +44 1642 46 54 00  
Fax +44 1642 46 54 02  
info.uk@ecom-ex.com

### Middle East

ecom instruments fze  
P.O. Box 8918  
Saif-Zone, Sharjah, UAE  
Phone +971 6 5 57 34 30  
Fax +971 6 5 57 34 31  
info.uae@ecom-ex.com

## Americas

### USA

ecom instruments Inc.  
1779 Westborough Drive, Suite 102  
Katy, Texas 77449  
Phone +1 281 496 59 30  
Fax +1 281 496 23 21  
sales.us@ecom-ex.com

## Asia

### South East Asia

Ecom Instruments (SEA) Pte Ltd  
15 Pioneer Turn  
P+F GDC Building  
Singapore 627577  
Phone +65 6779 9078  
info.sg@ecom-ex.com



Locate your nearest ecom partner on [www.ecom-ex.com](http://www.ecom-ex.com)