

Honeywell

CT40 Mobile Computer








Accessories Guide











Table of Contents

- 2 [Chargers](#)
- 7 [Mobile](#)
- 8 [Power Supplies](#)
- 9 [Scan Handle](#)
- 10 [Soft Goods](#)
- 11 [Accessories](#)
- 12 [AC Line Cords](#)



Chargers

PRODUCT NAME	SKU	DESCRIPTION
Charge Base, Standard 	CT40-CB-CNV-0	For recharging up to four computers. Kit includes dock and power supply. Power cord must be ordered separately.
Charge Base 	CT40-CB-CNV-1	For recharging up to four computers. Kit includes dock, power supply, and U.S. power cord.
Charge Base 	CT40-CB-CNV-2	For recharging up to four computers. Kit includes dock, power supply, and EU power cord.
Charge Base 	CT40-CB-CNV-3	For recharging up to four computers. Kit includes dock, power supply, and UK power cord.
Net Base, Standard 	CT40-NB-CNV-0	For Ethernet communications and recharging up to four computers. Kit includes dock and power supply. Power cord must be ordered separately.
Net Base 	CT40-NB-CNV-1	For Ethernet communications and recharging up to four computers. Kit includes dock, power supply, and U.S. power cable.
Net Base 	CT40-NB-CNV-2	For Ethernet communications and recharging up to four computers. Kit includes dock, power supply, and EU power cable.





Chargers, continued

<p>Net Base</p> 	<p>CT40-NB-CNV-3</p>	<p>For Ethernet communications and recharging up to four computers. Kit includes dock, power supply, and UK power cable.</p>
<p>Charge Base (use with TPU Boot)</p> 	<p>CT40-CB-PB-0</p>	<p>For recharging up to four computers. Kit includes dock and power supply. Excludes power cord. Compatible with CT40 with TPU boot only.</p>
<p>Net Base (use with TPU Boot)</p> 	<p>CT40-NB-PB-0</p>	<p>For Ethernet communications and recharging up to four computers. Kit includes dock and power supply. Excludes power cord. Compatible with CT40 with TPU boot only.</p>
<p>Charge Base (use with TPU Boot)</p> 	<p>CT40-CB-PB-1</p>	<p>For recharging up to four computers. Kit includes dock, power supply, and U.S. power cord. Compatible with CT40 with TPU boot only.</p>
<p>Net Base (use with TPU Boot)</p> 	<p>CT40-NB-PB-1</p>	<p>For Ethernet communications and recharging up to four computers. Kit includes dock, power supply, and U.S. power cable. Compatible with CT40 with TPU boot only.</p>
<p>Charge Base (use with TPU Boot)</p> 	<p>CT40-CB-PB-2</p>	<p>For recharging up to four computers. Kit includes dock, power supply, and EU power cord. Compatible with CT40 with TPU boot only.</p>
<p>Net Base (use with TPU Boot)</p> 	<p>CT40-NB-PB-2</p>	<p>For Ethernet communications and recharging up to four computers. Kit includes dock, power supply, and EU power cable. Compatible with CT40 with TPU boot only.</p>
<p>Charge Base (use with TPU Boot)</p> 	<p>CT40-CB-PB-3</p>	<p>For recharging up to four computers. Kit includes dock, power supply, and UK power cord. Compatible with CT40 with TPU boot only.</p>




Chargers, continued

<p>Net Base (use with TPU Boot)</p> 	CT40-NB-PB-3	For Ethernet communications and recharging up to four computers. Kit includes dock, power supply, and UK power cable. Compatible with CT40 with TPU boot only.
<p>QBC, Standard</p> 	CT40-QBC-0	For recharging up to four batteries. Kit includes dock and power supply. Power cord must be ordered separately.
<p>QBC</p> 	CT40-QBC-1	For recharging up to four batteries. Kit includes dock, power supply, and U.S. power cord.
<p>QBC</p> 	CT40-QBC-2	For recharging up to four batteries. Kit includes dock, power supply, and EU power cord.
<p>QBC</p> 	CT40-QBC-3	For recharging up to four batteries. Kit includes dock, power supply, and UK power cord.
<p>Home Base, Standard</p> 	CT40-HB-0	Kit includes dock and power supply. Power cord must be ordered separately. For recharging computer and battery. Supports USB client via USB Type B connector.
<p>Home Base</p> 	CT40-HB-1	Kit includes dock, power supply, and U.S. power cord. For recharging computer and battery. Supports USB client via USB Type B connector.






Chargers, continued

<p>Home Base</p> 	<p>CT40-HB-2</p>	<p>Kit includes dock, power supply, and EU power cord. For recharging computer and battery. Supports USB client via USB Type B connector.</p>
<p>Home Base</p> 	<p>CT40-HB-3</p>	<p>Kit includes dock, power supply, and UK power cord. For recharging computer and battery. Supports USB client via USB Type B connector.</p>
<p>Ethernet Home Base, Standard</p> 	<p>CT40-EB-0</p>	<p>Kit includes dock and power supply. Power cord must be ordered separately. For recharging computer, battery, and Ethernet communications. Supports USB client via USB Type B connector.</p>
<p>Ethernet Home Base</p> 	<p>CT40-EB-1</p>	<p>Kit includes dock, power supply, and U.S. power cord. For recharging computer, battery, and Ethernet communications. Supports USB client via USB Type B connector.</p>




Chargers, continued

<p>Ethernet Home Base</p> 	<p>CT40-EB-2</p>	<p>Kit includes dock, power supply, and EU power cord. For recharging computer, battery, and Ethernet communications. Supports USB client via USB Type B connector.</p>
<p>Ethernet Home Base</p> 	<p>CT40-EB-3</p>	<p>Kit includes dock, power supply, and UK power cord. For recharging computer, battery, and Ethernet communications. Supports USB client via USB Type B connector.</p>
<p>Display Dock</p> 	<p>CT40-DB-0</p>	<p>For connection with an external display, and extends I/O for HDMI, Ethernet communications, and three USB ports. Kit includes display base and power supply. Must order power cord separately.</p>
	<p>CT40-DB-1</p>	<p>For connection with an external display, and extends I/O for HDMI, Ethernet communications, and three USB ports. Kit includes display base, power supply, and U.S. power cord.</p>
	<p>CT40-DB-2</p>	<p>For connection with an external display, and extends I/O for HDMI, Ethernet communications, and three USB ports. Kit includes display base and power supply. Must order power supply and EU power cord.</p>
	<p>CT40-DB-3</p>	<p>For connection with an external display, and extends I/O for HDMI, Ethernet communications, and three USB ports. Kit includes display base and power supply. Must order power supply and UK power cord.</p>



Mobile

PRODUCT NAME	SKU	DESCRIPTION
Snap-On Adapter with Tethered USB Cable to Support USB Client 	CT40-SN-USB-0	Provides tethered USB client connectivity. Compatible with hand strap, battery pack, and scan handle. Charges mobile computer battery in four hours or less. Kit includes snap-on adapter. Optional 50130570-001 (5 V/2 A) USB power wall adapter sold separately.
Vehicle Dock 	CT40-VD-0	Vehicle dock with hard-wired 3-pin power cable.
Cigarette Snap-On Adapter 	CT40-CIGR-0	Cigarette lighter adapter with USB SKT.
Cigarette Lighter Power Adapter Cable 	50138169-001	Cigarette lighter power adapter, 1.8 mm (0.07 in).
RAM Mount 	805-638-001	Required for vehicle dock or vehicle holder. Consists of one 12.07 cm (4.75 in) adjustable pivot arm with two 3.8 cm (1.5 in) stainless steel balls and assembly hardware. Requires customer-supplied hardware to secure mount to vehicle.
PTT Headset	CT40-HDST-35MM	Enterprise headset with PTT function, 3.5 mm (0.14 in), 1.8 m (5.9 ft) length.
Audio Cable	CT40-CVT-25MM	3.5 mm (0.14 in) plug to 2.5 socket adapter wire.





Power Supplies

PRODUCT NAME	SKU	DESCRIPTION
Spare Battery Pack  <p>Plastic Latch Button</p>	318-055-011	CT40 Battery Pack, 4040 mAh, for use with CT40 configurations with plastic battery latch button (last two digits in part number begin with 0 : CT40-L*N-xxxxx 0 x).
Spare Battery Pack  <p>Metal Latch Button</p>	318-055-015	CT40 Battery Pack, 4040 mAh, for use with CT40 configurations with metal battery latch button (last two digits in part number begin with A or B : CT40-LON-xxxxx A x or CT40-L1N-xxxxx B x).
Desktop Power Supply 	50121666-001	A 36 W power supply for use with Ethernet home base, charge-only home base, and quad battery charger. Requires country-specific line cord to be ordered separately.
Quad Base Power Supply 	50121667-001	A 84 W power supply for use with four-bay charging base and four-bay net base. Requires country-specific line cord to be ordered separately.
Power Plug Adapter Kit 	50130570-001	USB power adapter (5 V, 2 A) kit for snap-on adapter, includes EU, UK, U.S., and IN plugs.




Scan Handle

PRODUCT NAME	SKU	DESCRIPTION
<p>Scan Handle, Compatible with Charging Dock</p> 	<p>CT40-SH-DC</p>	<p>Snaps easily on or off the mobile computer. Compatible with charging docks, hand strap, and snap-on adapter.</p>
<p>Scan Handle and TPU Boot</p> 	<p>CT40-SH-PB</p>	<p>Kit, CT40 scan handle, and TPU boot, compatible with charge base CT40-CB-PB-0/1/2/3 and net base CT40-NB-PB-0/1/2/3.</p>

Soft Goods

PRODUCT NAME	SKU	DESCRIPTION
<p>Holster</p> 	825-238-001	Holster suitable for use with CT40, CT50, and CT60.
<p>TPU Boot</p> 	CT40-PB-00	CT40 TPU boot, compatible with charge base CT40-CB-PB-0/1/2/3 and net base CT40-NB-PB-0/1/2/3.
<p>Rubber Boot</p> 	CT40-RB-00	Black rubber protective boot for CT40.
<p>Pouch</p> 	825-237-001	Pouch suitable for use with CT40, CT50, and CT60.

Accessories

PRODUCT NAME	SKU	DESCRIPTION
Kit, Hand Strap (3/pk) 	CT40-HS-3PK	Kit of three replacement hand straps for CT40.
Kit, Screen Protector (10/pk) 	CT40-SP-10PK	Contains 10 self-adhesive screen protectors.
Industrial-Grade Micro-SD Card*	856-065-004	Micro-SD card, 1 GB, AF1GUDI, RoHS
	856-065-005	Micro-SD card, 2 GB, AF2GUDI, RoHS
	856-065-006	Micro-SD card, 4 GB, AF4GUDI, RoHS
	856-065-007	Micro-SD card, 8 GB, AF8GUDI, RoHS
Quad Lock Case 	CT40-QL-00	CT40 quad lock case to mount CT40 on Zebra RFD8500 RFID sled with quad lock.

* Micro-SD cards are required when databases are stored on the device. The database should be stored on the SD card.

AC Line Cords

PRODUCT NAME	SKU	DESCRIPTION
Power Cord – India	50127245-001	Power cord, India, 1.5 m (4.9 ft)
Power Cord – Australia	50117501-001	Power cord, Australia, 2.5 m (8.2 ft)
Power Cord – CB	50117503-001	Power cord, Argentina, Isled CB
Power Cord – U.S.	77900506E	Power cord, U.S., IEC320-C13, 1.85 m (6.07 ft)
Power Cord – UK	77900507E	Power cord, UK, IEC320-C13, 2.5 m (8.2 ft)
Power Cord – EU	77900508E	Power cord, Europe, IEC320-C13, 2.5 m (8.2 ft)
Power Cord – China	19-19807	Cable, China cord set (CCC), 2.5 m (8.2 ft)
Power Cord – U.S.	19-19726	Cable, power cord/IEC, U.S., 2.5 m (8.2 ft)

For more information

www.honeywellaidc.com

Honeywell Safety and Productivity Solutions

9680 Old Bailes Road

Fort Mill, SC 29707

www.honeywell.com

CT40 Accessories Guide | Rev E | 08/19
© 2019 Honeywell International Inc.

Honeywell